

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижний Новгород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47


Россия (495)268-04-70

Казахстан (772)734-952-31

<https://fanar.nt-rt.ru/> || [frk@nt-rt.ru](mailto:frk@nt-rt.ru)

## Thread ring gauges "NO GO"

UNF








## Dimensions

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter	$\varnothing d_1$	1"/P
-------	---------------	----------------	--------	---------------------	--------------------	-------------------	-------------------	------


## tolerance

<b>Y3-422182-4205</b>	UNF	No 5 - 44	MSRk		NO GO	2A	3,175	44
<b>Y3-422182-4206</b>	UNF	No 6 - 40	MSRk		NO GO	2A	3,505	40
<b>Y3-422182-4208</b>	UNF	No 8 - 36	MSRk		NO GO	2A	4,166	36
<b>Y3-422182-4210</b>	UNF	No 10 - 32	MSRk		NO GO	2A	4,826	32
<b>Y3-422182-4212</b>	UNF	No 12 - 28	MSRk		NO GO	2A	5,486	28
<b>Y3-422182-4227</b>	UNF	1/4 - 28	MSRk		NO GO	2A	6,350	28
<b>Y3-422182-4228</b>	UNF	5/16 - 24	MSRk		NO GO	2A	7,938	24

<b>Y3-422182-4229</b>	UNF	3/8 - 24	MSRk		NO GO	2A	9,525	24
<b>Y3-422182-4230</b>	UNF	7/16 - 20	MSRk		NO GO	2A	11,112	20
<b>Y3-422182-4231</b>	UNF	1/2 - 20	MSRk		NO GO	2A	12,700	20
<b>Y3-422182-4232</b>	UNF	9/16 - 18	MSRk		NO GO	2A	14,288	18
<b>Y3-422182-4233</b>	UNF	5/8 - 18	MSRk		NO GO	2A	15,875	18
<b>Y3-422182-4235</b>	UNF	3/4 - 16	MSRk		NO GO	2A	19,050	16
<b>Y3-422182-4237</b>	UNF	7/8 - 14	MSRk		NO GO	2A	22,225	14







Y3-422182-4239	UNF	1 - 12	MSRk		NO GO	2A	25,400	12
Y3-422182-4241	UNF	1.1/8 - 12	MSRk		NO GO	2A	28,575	12
Y3-422182-4243	UNF	1.1/4 - 12	MSRk		NO GO	2A	31,750	12
Y3-422182-4245	UNF	1.3/8 - 12	MSRk		NO GO	2A	34,925	12
Y3-422182-4247	UNF	1.1/2 - 12	MSRk		NO GO	2A	38,100	12

**UNC**



## Dimensions

Index	Typ	Thread	Symbol	Thread	Typ	Pitch	ød <sub>1</sub>	1"/P
-------	-----	--------	--------	--------	-----	-------	-----------------	------


	gwintu	size		direction	sprawdzianu	diameter	tolerance		
<b>Y3-422182-4105</b>	UNC	No 5 - 40	MSRk		NO GO	2A	3,175	40	
<b>Y3-422182-4106</b>	UNC	No 6 - 32	MSRk		NO GO	2A	3,505	32	
<b>Y3-422182-4108</b>	UNC	No 8 - 32	MSRk		NO GO	2A	4,166	32	
<b>Y3-422182-4110</b>	UNC	No 10 - 24	MSRk		NO GO	2A	4,826	24	
<b>Y3-422182-4112</b>	UNC	No 12 - 24	MSRk		NO GO	2A	5,486	24	
<b>Y3-422182-4127</b>	UNC	1/4 - 20	MSRk		NO GO	2A	6,350	20	
<b>Y3-422182-4128</b>	UNC	5/16 -	MSRk		NO GO	2A	7,938	18	

18








<b>Y3-422182-4129</b>	UNC	3/8 - 16	MSRk		NO GO	2A	9,525	16
<b>Y3-422182-4130</b>	UNC	7/16 - 14	MSRk		NO GO	2A	11,112	14
<b>Y3-422182-4131</b>	UNC	1/2 - 13	MSRk		NO GO	2A	12,700	13
<b>Y3-422182-4132</b>	UNC	9/16 - 12	MSRk		NO GO	2A	14,288	12
<b>Y3-422182-4133</b>	UNC	5/8 - 11	MSRk		NO GO	2A	15,875	11
<b>Y3-422182-4135</b>	UNC	3/4 - 10	MSRk		NO GO	2A	19,050	10
<b>Y3-422182-4137</b>	UNC	7/8 - 9	MSRk		NO GO	2A	22,225	9

# TR Dimensions



<b>Y3-422182-4139</b>	UNC	1 - 8	MSRk		NO GO	2A	25,400	8
<b>Y3-422182-4141</b>	UNC	1.1/8 - 7	MSRk		NO GO	2A	28,575	7
<b>Y3-422182-4143</b>	UNC	1.1/4 - 7	MSRk		NO GO	2A	31,750	7
<b>Y3-422182-4145</b>	UNC	1.3/8 - 6	MSRk		NO GO	2A	34,925	6
<b>Y3-422182-4147</b>	UNC	1.1/2 - 6	MSRk		NO GO	2A	38,100	6
<b>Y3-422182-4151</b>	UNC	1.3/4 - 5	MSRk		NO GO	2A	44,450	5
<b>Y3-422182-4155</b>	UNC	2 - 4.1/2	MSRk		NO GO	2A	50,800	4.1/2

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	P
Y3-422174-8009	TR	Tr10x2	MSRk		NO GO	7e	2
Y3-422174-8015	TR	Tr12x3	MSRk		NO GO	7e	3
Y3-422174-8019	TR	Tr14x3	MSRk		NO GO	7e	3
Y3-422174-8024	TR	Tr16x4	MSRk		NO GO	7e	4
Y3-422174-8032	TR	Tr18x4	MSRk		NO GO	7e	4
Y3-422174-8034	TR	Tr20x4	MSRk		NO GO	7e	4





**Y3-422174-8037**

TR

Tr22x5

MSRk



NO GO

7e


5

**Y3-422174-8042**

TR

Tr24x5

MSRk



NO GO

7e

5

**Y3-422174-8047**

TR

Tr26x5

MSRk



NO GO

7e

5

**Y3-422174-8052**

TR

Tr28x5

MSRk



NO GO

7e

5

**Y3-422174-8057**

TR

Tr30x6

MSRk



NO GO

7e

6

**Y3-422174-8062**

TR

Tr32x6

MSRk



NO GO

7e

6

**Y3-422174-8072**

TR

Tr36x6


MSRk



NO GO

7e

6

**PG****Dimensions**

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	ød <sub>1</sub>	1"/P
<b>Y3-450100-8807</b>	PG	Pg 7	MSRc		NO GO	12,5	20
<b>Y3-450100-8809</b>	PG	Pg 9	MSRc		NO GO	15,2	18
<b>Y3-450100-8811</b>	PG	Pg 11	MSRc		NO GO	18,6	18
<b>Y3-450100-8813</b>	PG	Pg 13,5	MSRc		NO GO	20,4	18
<b>Y3-450100-8816</b>	PG	Pg 16	MSRc		NO GO	22,5	18
<b>Y3-450100-8821</b>	PG	Pg 21	MSRc		NO GO	28,3	16

**Y3-450100-8829**

PG

Pg 29

MSRc



NO GO

37

16

**Y3-450100-8836**

PG

Pg 36

MSRc



NO GO






47




16

**MF**



**Dimensions**

Index	Typ gwintu	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	P
Y3-422162-0031	MF	MSRk		NO GO	6g	0,35
Y3-422162-0036	MF	MSRk		NO GO	6g	0,35
Y3-422162-0041	MF	MSRk		NO GO	6g	0,5
Y3-422162-0043	MF	MSRk		NO GO	6g	0,35
Y3-422162-0046	MF	MSRk		NO GO	6g	0,5

<b>Y3-422162-0051</b>	MF	MSRk		NO GO	6g	0,5
<b>Y3-422162-0061</b>	MF	MSRk		NO GO	6g	0,5
<b>Y3-422162-0062</b>	MF	MSRk		NO GO	6g	0,75
<b>Y3-422162-0081</b>	MF	MSRk		NO GO	6g	0,5
<b>Y3-422162-0082</b>	MF	MSRk		NO GO	6g	0,75
<b>Y3-422162-0083</b>	MF	MSRk		NO GO	6g	1
<b>Y3-422162-0093</b>	MF	MSRk		NO GO	6g	1

<b>Y3-422162-0102</b>	MF	MSRk		NO GO	6g	0,75
<b>Y3-422162-0103</b>	MF	MSRk		NO GO	6g	1
<b>Y3-422162-0104</b>	MF	MSRk		NO GO	6g	1,25
<b>Y3-422162-0113</b>	MF	MSRk		NO GO	6g	1
<b>Y3-422162-0123</b>	MF	MSRk		NO GO	6g	1
<b>Y3-422162-0124</b>	MF	MSRk		NO GO	6g	1,25
<b>Y3-422162-0125</b>	MF	MSRk		NO GO	6g	1,5

**Y3-422162-0133**

MF

MSRk



NO GO

6g

1

**Y3-422162-0143**

MF

MSRk



NO GO

6g

1

**Y3-422162-0144**

MF

MSRk



NO GO

6g

1,25

**Y3-422162-0145**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0153**

MF

MSRk



NO GO

6g

1

**Y3-422162-0155**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0163**

MF

MSRk



NO GO

6g

1

<b>Y3-422162-0165</b>	MF	MSRk		NO GO	6g	1,5
<b>Y3-422162-0183</b>	MF	MSRk		NO GO	6g	1
<b>Y3-422162-0185</b>	MF	MSRk		NO GO	6g	1,5
<b>Y3-422162-0186</b>	MF	MSRk		NO GO	6g	2
<b>Y3-422162-0203</b>	MF	MSRk		NO GO	6g	1
<b>Y3-422162-0205</b>	MF	MSRk		NO GO	6g	1,5
<b>Y3-422162-0206</b>	MF	MSRk		NO GO	6g	2



<b>Y3-422162-0223</b>	MF	MSRk		NO GO	6g	1
<b>Y3-422162-0225</b>	MF	MSRk		NO GO	6g	1,5
<b>Y3-422162-0226</b>	MF	MSRk		NO GO	6g	2
<b>Y3-422162-0243</b>	MF	MSRk		NO GO	6g	1
<b>Y3-422162-0245</b>	MF	MSRk		NO GO	6g	1,5
<b>Y3-422162-0246</b>	MF	MSRk		NO GO	6g	2
<b>Y3-422162-0255</b>	MF	MSRk		NO GO	6g	1,5

**Y3-422162-0265**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0275**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0276**

MF

MSRk



NO GO

6g

2

**Y3-422162-0285**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0286**

MF

MSRk



NO GO

6g

2

**Y3-422162-0303**

MF

MSRk



NO GO

6g

1

**Y3-422162-0305**

MF

MSRk

NO GO

6g

1,5



**Y3-422162-0306**

MF

MSRk



NO GO

6g

2

**Y3-422162-0325**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0335**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0336**

MF

MSRk



NO GO

6g

2

**Y3-422162-0337**

MF

MSRk



NO GO

6g

3

**Y3-422162-0345**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0355**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0365**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0366**

MF

MSRk



NO GO

6g

2

**Y3-422162-0367**

MF

MSRk



NO GO

6g

3

**Y3-422162-0385**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0396**

MF

MSRk



NO GO

6g

2

**Y3-422162-0397**

MF

MSRk



NO GO

6g

3

**Y3-422162-0405**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0406**

MF

MSRk



NO GO

6g

2

**Y3-422162-0407**

MF

MSRk



NO GO

6g

3

**Y3-422162-0425**

MF

MSRk



NO GO

6g

1,5

**Y3-422162-0426**

MF

MSRk



NO GO

6g

2

**Y3-422162-0427**

MF

MSRk



NO GO

6g

3

**Y3-422162-0455**

MF


MSRk



NO GO

6g


1,5

<b>Y3-422162-0456</b>	MF	MSRk		NO GO	6g	2
-----------------------	----	------	---	-------	----	---

<b>Y3-422162-0457</b>	MF	MSRk		NO GO	6g	3
-----------------------	----	------	---	-------	----	---


<b>Y3-422162-0485</b>	MF	MSRk		NO GO	6g	1,5
-----------------------	----	------	---	-------	----	-----


<b>Y3-422162-0486</b>	MF	MSRk		NO GO	6g	2
-----------------------	----	------	---	-------	----	---


<b>Y3-422162-0487</b>	MF	MSRk		NO GO	6g	3
-----------------------	----	------	--	-------	----	---


<b>Y3-422162-0505</b>	MF	MSRk		NO GO	6g	1,5
-----------------------	----	------	---	-------	----	-----

<b>Y3-422162-0506</b>	MF	MSRk		NO GO	6g	2
-----------------------	----	------	---	-------	----	---


<b>Y3-422162-0507</b>	MF	MSRk		NO GO	6g	3
-----------------------	----	------	---	-------	----	---

<b>Y3-422162-0525</b>	MF	MSRk		NO GO	6g	1,5
-----------------------	----	------	---	-------	----	-----






<b>Y3-422162-0526</b>	MF	MSRk		NO GO	6g	2
-----------------------	----	------	---	-------	----	---

<b>Y3-422162-0527</b>	MF	MSRk		NO GO	6g	3
-----------------------	----	------	---	-------	----	---





**M**





**Dimensions**

Index	Typ gwintu	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	P
Y3-422162-0010	M	MSRk		NO GO	6g	0,25
Y3-422162-0012	M	MSRk		NO GO	6g	0,25
Y3-422162-0014	M	MSRk		NO GO	6g	0,3
Y3-422162-0016	M	MSRk		NO GO	6g	0,35
Y3-422162-0017	M	MSRk		NO GO	6g	0,35



<b>Y3-422162-0018</b>	M	MSRk		NO GO	6g	0,35
<b>Y3-422162-0020</b>	M	MSRk		NO GO	6g	0,4
<b>Y3-422162-0022</b>	M	MSRk		NO GO	6g	0,45
<b>Y3-422162-0025</b>	M	MSRk		NO GO	6g	0,45
<b>Y3-422162-0026</b>	M	MSRk		NO GO	6g	0,45
<b>Y3-422162-0030</b>	M	MSRk		NO GO	6g	0,5
<b>Y3-422162-0035</b>	M	MSRk		NO GO	6g	0,6

<b>Y3-422162-0040</b>	M	MSRk		NO GO	6g	0,7
<b>Y3-422162-0045</b>	M	MSRk		NO GO	6g	0,75
<b>Y3-422162-0050</b>	M	MSRk		NO GO	6g	0,8
<b>Y3-422162-0060</b>	M	MSRk		NO GO	6g	1
<b>Y3-422162-0070</b>	M	MSRk		NO GO	6g	1
<b>Y3-422162-0080</b>	M	MSRk		NO GO	6g	1,25
<b>Y3-422162-0090</b>	M	MSRk		NO GO	6g	1,25

<b>Y3-422162-0100</b>	M	MSRk		NO GO	6g	1,5
-----------------------	---	------	---	-------	----	-----

<b>Y3-422162-0120</b>	M	MSRk		NO GO	6g	1,75
-----------------------	---	------	---	-------	----	------








<b>Y3-422162-0140</b>	M	MSRk		NO GO	6g	2
-----------------------	---	------	---	-------	----	---

<b>Y3-422162-0160</b>	M	MSRk		NO GO	6g	2
-----------------------	---	------	---	-------	----	---

<b>Y3-422162-0180</b>	M	MSRk		NO GO	6g	2,5
-----------------------	---	------	--	-------	----	-----

<b>Y3-422162-0200</b>	M	MSRk		NO GO	6g	2,5
-----------------------	---	------	---	-------	----	-----

<b>Y3-422162-0220</b>	M	MSRk		NO GO	6g	2,5
-----------------------	---	------	---	-------	----	-----

<b>Y3-422162-0240</b>	M	MSRk		NO GO	6g	3
<b>Y3-422162-0270</b>	M	MSRk		NO GO	6g	3
<b>Y3-422162-0300</b>	M	MSRk		NO GO	6g	3,5
<b>Y3-422162-0330</b>	M	MSRk		NO GO	6g	3,5
<b>Y3-422162-0360</b>	M	MSRk		NO GO	6g	4
<b>Y3-422162-0390</b>	M	MSRk		NO GO	6g	4
<b>Y3-422162-0420</b>	M	MSRk		NO GO	6g	4,5

**Y3-422162-0450**

M

MSRk



NO GO

6g

4,5

**Y3-422162-0480**

M

MSRk



NO GO

6g

5

**Y3-422162-0520**

M

MSRk



NO GO

6g

5

**G**



## Dimensions

Index

Typ  
gwintu

Thread  
size

Symbol

Thread  
direction








Typ  
sprawdzianu

Pitch  
diameter

ød<sub>1</sub>

1"/P

## tolerance

<b>Y3-422180-3123</b>	G	G-1/8"	MSRk		NO GO	A	9,73	28
<b>Y3-422180-3127</b>	G	G-1/4"	MSRk		NO GO	A	13,16	19
<b>Y3-422180-3129</b>	G	G-3/8"	MSRk		NO GO	A	16,66	19
<b>Y3-422180-3131</b>	G	G-1/2"	MSRk		NO GO	A	20,96	14
<b>Y3-422180-3133</b>	G	G-5/8"	MSRk		NO GO	A	22,91	14
<b>Y3-422180-3135</b>	G	G-3/4"	MSRk		NO GO	A	26,44	14
<b>Y3-422180-3137</b>	G	G-7/8"	MSRk		NO GO	A	30,20	14

Y3-422180-3139	G	G-1"	MSRk	(RH) ↓	NO GO	A	33,25	11
Y3-422180-3141	G	G-1.1/8"	MSRk	(RH) ↓	NO GO	A	37,90	11
Y3-422180-3143	G	G-1.1/4"	MSRk	(RH) ↓	NO GO	A	41,91	11

## BSW



## Dimensions





Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter	ød <sub>1</sub>	1"/P
-------	------------	-------------	--------	------------------	-----------------	----------------	-----------------	------

## tolerance

Y3-422100-7123	BSW	1/8 - 40	MSRk		NO GO	medium	3,175	40
Y3-422100-7125	BSW	3/16 - 24	MSRk		NO GO	medium	4,762	24
Y3-422100-7127	BSW	1/4 - 20	MSRk		NO GO	medium	6,350	20
Y3-422100-7128	BSW	5/16 - 18	MSRk		NO GO	medium	7,938	18
Y3-422100-7129	BSW	3/8 - 16	MSRk		NO GO	medium	9,525	16
Y3-422100-7130	BSW	7/16 - 14	MSRk		NO GO	medium	11,112	14
Y3-422100-7131	BSW	1/2 - 12	MSRk		NO GO	medium	12,700	12



<b>Y3-422100-7132</b>	BSW	9/16 - 12	MSRk		NO GO	medium	14,288	12
<b>Y3-422100-7133</b>	BSW	5/8 - 11	MSRk		NO GO	medium	15,875	11
<b>Y3-422100-7135</b>	BSW	3/4 - 10	MSRk		NO GO	medium	19,050	10
<b>Y3-422100-7137</b>	BSW	7/8 - 9	MSRk		NO GO	medium	22,225	9
<b>Y3-422100-7139</b>	BSW	1 - 8	MSRk		NO GO	medium	25,400	8
<b>Y3-422100-7141</b>	BSW	1.1/8 - 7	MSRk		NO GO	medium	28,575	7
<b>Y3-422100-7143</b>	BSW	1.1/4 - 7	MSRk		NO GO	medium	31,750	7

Y3-422100-7145	BSW	1.3/8 - 6	MSRk		NO GO	medium	34,925	6
Y3-422100-7147	BSW	1.1/2 - 6	MSRk		NO GO	medium	38,100	6
Y3-422100-7151	BSW	1.3/4 - 5	MSRk		NO GO	medium	44,450	5
Y3-422100-7155	BSW	2 - 4.1/2	MSRk		NO GO	medium	50,800	4.1/2

Архангельск (8182)63-90-72  
Астана (7172)727-132  
Астрахань (8512)99-46-04  
Барнаул (3852)73-04-60  
Белгород (4722)40-23-64  
Брянск (4832)59-03-52  
Владивосток (423)249-28-31  
Волгоград (844)278-03-48  
Вологда (8172)26-41-59  
Воронеж (473)204-51-73  
Екатеринбург (343)384-55-89  
Иваново (4932)77-34-06

Ижевск (3412)26-03-58  
Иркутск (395)279-98-46  
Казань (843)206-01-48  
Калининград (4012)72-03-81  
Калуга (4842)92-23-67  
Кемерово (3842)65-04-62  
Киров (8332)68-02-04  
Краснодар (861)203-40-90  
Красноярск (391)204-63-61  
Курск (4712)77-13-04  
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13  
Москва (495)268-04-70  
Мурманск (8152)59-64-93  
Набережные Челны (8552)20-53-41  
Нижегород (831)429-08-12  
Новокузнецк (3843)20-46-81  
Новосибирск (383)227-86-73  
Омск (3812)21-46-40  
Орел (4862)44-53-42  
Оренбург (3532)37-68-04  
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47  
Ростов-на-Дону (863)308-18-15  
Рязань (4912)46-61-64  
Самара (846)206-03-16  
Санкт-Петербург (812)309-46-40  
Саратов (845)249-38-78  
Севастополь (8692)22-31-93  
Симферополь (3652)67-13-56  
Смоленск (4812)29-41-54  
Сочи (862)225-72-31  
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35  
Тверь (4822)63-31-35  
Томск (3822)98-41-53  
Тула (4872)74-02-29  
Тюмень (3452)66-21-18  
Ульяновск (8422)24-23-59  
Уфа (347)229-48-12  
Хабаровск (4212)92-98-04  
Челябинск (351)202-03-61  
Череповец (8202)49-02-64  
Ярославль (4852)69-52-93

<https://fanar.nt-rt.ru/> || [frk@nt-rt.ru](mailto:frk@nt-rt.ru)