

Архангельск (8182)63-90-72
 Астана (7172)727-132
 Астрахань (8512)99-46-04
 Барнаул (3852)73-04-60
 Белгород (4722)40-23-64
 Брянск (4832)59-03-52
 Владивосток (423)249-28-31
 Волгоград (844)278-03-48
 Вологда (8172)26-41-59
 Воронеж (473)204-51-73
 Екатеринбург (343)384-55-89
 Иваново (4932)77-34-06

Ижевск (3412)26-03-58
 Иркутск (395)279-98-46
 Казань (843)206-01-48
 Калининград (4012)72-03-81
 Калуга (4842)92-23-67
 Кемерово (3842)65-04-62
 Киров (8332)68-02-04
 Краснодар (861)203-40-90
 Красноярск (391)204-63-61
 Курск (4712)77-13-04
 Липецк (4742)52-20-81
 Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
 Москва (495)268-04-70
 Мурманск (8152)59-64-93
 Набережные Челны (8552)20-53-41
 Нижний Новгород (831)429-08-12
 Новокузнецк (3843)20-46-81
 Новосибирск (383)227-86-73
 Омск (3812)21-46-40
 Орел (4862)44-53-42
 Оренбург (3532)37-68-04
 Пенза (8412)22-31-16
 Россия (495)268-04-70

Пермь (342)205-81-47
 Ростов-на-Дону (863)308-18-15
 Рязань (4912)46-61-64
 Самара (846)206-03-16
 Санкт-Петербург (812)309-46-40
 Саратов (845)249-38-78
 Севастополь (8692)22-31-93
 Симферополь (3652)67-13-56
 Смоленск (4812)29-41-54
 Сочи (862)225-72-31
 Ставрополь (8652)20-65-13
 Казахстан (772)734-952-31

Сургут (3462)77-98-35
 Тверь (4822)63-31-35
 Томск (3822)98-41-53
 Тула (4872)74-02-29
 Тюмень (3452)66-21-18
 Ульяновск (8422)24-23-59
 Уфа (347)229-48-12
 Хабаровск (4212)92-98-04
 Челябинск (351)202-03-61
 Череповец (8202)49-02-64
 Ярославль (4852)69-52-93

<https://fanar.nt-rt.ru/> || frk@nt-rt.ru

Thread ring gauges "GO"

UNF



Dimensions

Index

Typ

Thread

Symbol







Thread

Typ


Pitch

ød₁

1"/P

	gwintu	size		direction	sprawdzianu	diameter	tolerance		
Y3-412182-4205	UNF	No 5 - 44	MSRh		GO	2A	3,175	44	
Y3-412182-4206	UNF	No 6 - 40	MSRh		GO	2A	3,505	40	
Y3-412182-4208	UNF	No 8 - 36	MSRh		GO	2A	4,166	36	
Y3-412182-4210	UNF	No 10 - 32	MSRh		GO	2A	4,826	32	
Y3-412182-4212	UNF	No 12 - 28	MSRh		GO	2A	5,486	28	
Y3-412182-4227	UNF	1/4 - 28	MSRh		GO	2A	6,350	28	
Y3-412182-4228	UNF	5/16 -	MSRh		GO	2A	7,938	24	


24

**Y3-412182-4229**

UNF

3/8 -
24

MSRh



GO

2A

9,525


24

Y3-412182-4230

UNF

7/16 -
20

MSRh



GO

2A

11,112

20

Y3-412182-4231

UNF

1/2 -
20

MSRh



GO

2A

12,700

20

Y3-412182-4232

UNF

9/16 -
18

MSRh



GO

2A

14,288


18

Y3-412182-4233

UNF

5/8 -
18

MSRh



GO

2A

15,875

18

Y3-412182-4235

UNF

3/4 -
16

MSRh



GO

2A

19,050

16

Y3-412182-4237

UNF

7/8 -

MSRh








GO

2A

22,225

14

14

Y3-412182-4239	UNF	1 - 12	MSRh		GO	2A	25,400	12
Y3-412182-4241	UNF	1.1/8 - 12	MSRh		GO	2A	28,575	12
Y3-412182-4243	UNF	1.1/4 - 12	MSRh		GO	2A	31,750	12
Y3-412182-4245	UNF	1.3/8 - 12	MSRh		GO	2A	34,925	12
Y3-412182-4247	UNF	1.1/2 - 12	MSRh		GO	2A	38,100	12









UNC

Dimensions

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter	ød ₁	1"/P
-------	------------	-------------	--------	------------------	-----------------	----------------	-----------------	------


tolerance

Y3-412182-4105	UNC	No 5 - 40	MSRh		GO	2A	3,175	40
Y3-412182-4106	UNC	No 6 - 32	MSRh		GO	2A	3,505	32
Y3-412182-4108	UNC	No 8 - 32	MSRh		GO	2A	4,166	32
Y3-412182-4110	UNC	No 10 - 24	MSRh		GO	2A	4,826	24
Y3-412182-4112	UNC	No 12 - 24	MSRh		GO	2A	5,486	24
Y3-412182-4127	UNC	1/4 - 20	MSRh		GO	2A	6,350	20
Y3-412182-4128	UNC	5/16 - 18	MSRh		GO	2A	7,938	18

Y3-412182-4129	UNC	3/8 - 16	MSRh		GO	2A	9,525	16
-----------------------	-----	-------------	------	---	----	----	-------	----

Y3-412182-4130	UNC	7/16 - 14	MSRh		GO	2A	11,112	14
-----------------------	-----	--------------	------	---	----	----	--------	----

Y3-412182-4131	UNC	1/2 - 13	MSRh		GO	2A	12,700	13
-----------------------	-----	-------------	------	---	----	----	--------	----

Y3-412182-4132	UNC	9/16 - 12	MSRh		GO	2A	14,288	12
-----------------------	-----	--------------	------	---	----	----	--------	----

Y3-412182-4133	UNC	5/8 - 11	MSRh		GO	2A	15,875	11
-----------------------	-----	----------	------	--	----	----	--------	----

Y3-412182-4135	UNC	3/4 - 10	MSRh		GO	2A	19,050	10
-----------------------	-----	-------------	------	---	----	----	--------	----






Y3-412182-4137	UNC	7/8 - 9	MSRh		GO	2A	22,225	9
-----------------------	-----	---------	------	---	----	----	--------	---



TR

Dimensions

Y3-412182-4139	UNC	1 - 8	MSRh		GO	2A	25,400	8
Y3-412182-4141	UNC	1.1/8 - 7	MSRh		GO	2A	28,575	7
Y3-412182-4143	UNC	1.1/4 - 7	MSRh		GO	2A	31,750	7
Y3-412182-4145	UNC	1.3/8 - 6	MSRh		GO	2A	34,925	6
Y3-412182-4147	UNC	1.1/2 - 6	MSRh		GO	2A	38,100	6
Y3-412182-4151	UNC	1.3/4 - 5	MSRh		GO	2A	44,450	5
Y3-412182-4155	UNC	2 - 4.1/2	MSRh		GO	2A	50,800	4.1/2

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	P
Y3-412174-8009	TR	Tr10x2	MSRh		GO	7e	2
Y3-412174-8015	TR	Tr12x3	MSRh		GO	7e	3
Y3-412174-8019	TR	Tr14x3	MSRh		GO	7e	3
Y3-412174-8024	TR	Tr16x4	MSRh		GO	7e	4
Y3-412174-8032	TR	Tr18x4	MSRh		GO	7e	4
Y3-412174-8034	TR	Tr20x4	MSRh		GO	7e	4



Y3-412174-8037

TR

Tr22x5

MSRh



GO

7e

5

Y3-412174-8042

TR

Tr24x5

MSRh



GO

7e

5

Y3-412174-8047

TR

Tr26x5

MSRh



GO

7e

5

Y3-412174-8052

TR

Tr28x5

MSRh



GO

7e

5

Y3-412174-8057

TR

Tr30x6

MSRh



GO

7e

6

Y3-412174-8062

TR

Tr32x6

MSRh



GO

7e

6

Y3-412174-8072

TR

Tr36x6

MSRh



GO







7e

6

PG



Dimensions

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	ød ₁	1"/P
Y3-412100-8807	PG	Pg 7	MSRh		GO	12,5	20
Y3-412100-8809	PG	Pg 9	MSRh		GO	15,2	18
Y3-412100-8811	PG	Pg 11	MSRh		GO	18,6	18
Y3-412100-8813	PG	Pg 13,5	MSRh		GO	20,4	18
Y3-412100-8816	PG	Pg 16	MSRh		GO	22,5	18
Y3-412100-8821	PG	Pg 21	MSRh		GO	28,3	16

Y3-412100-8829

PG

Pg 29

MSRh



GO

37

16

Y3-412100-8836

PG

Pg 36

MSRh



GO







47

16

MF



Dimensions

Index	Typ gwintu	M	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	P
Y3-412162-0031	MF	M3x0,35	MSRh		GO	6g	0,35
Y3-412162-0036	MF	M3,5x0,35	MSRh		GO	6g	0,35
Y3-412162-0041	MF	M4x0,5	MSRh		GO	6g	0,5
Y3-412162-0043	MF	M4x0,35	MSRh		GO	6g	0,35
Y3-412162-0046	MF	M4,5x0,5	MSRh		GO	6g	0,5
Y3-412162-0051	MF	M5x0,5	MSRh		GO	6g	0,5

Y3-412162-0061	MF	M6x0,5	MSRh		GO	6g	0,5
Y3-412162-0062	MF	M6x0,75	MSRh		GO	6g	0,75
Y3-412162-0081	MF	M8x0,5	MSRh		GO	6g	0,5
Y3-412162-0082	MF	M8x0,75	MSRh		GO	6g	0,75
Y3-412162-0083	MF	M8x1	MSRh		GO	6g	1
Y3-412162-0093	MF	M9x1	MSRh		GO	6g	1
Y3-412162-0102	MF	M10x0,75	MSRh		GO	6g	0,75

Y3-412162-0103	MF	M10x1	MSRh		GO	6g	1
Y3-412162-0104	MF	M10x1,25	MSRh		GO	6g	1,25
Y3-412162-0113	MF	M11x1	MSRh		GO	6g	1
Y3-412162-0123	MF	M12x1	MSRh		GO	6g	1
Y3-412162-0124	MF	M12x1,25	MSRh		GO	6g	1,25
Y3-412162-0125	MF	M12x1,5	MSRh		GO	6g	1,5
Y3-412162-0133	MF	M13x1	MSRh		GO	6g	1
Y3-412162-0143	MF	M14x1	MSRh		GO	6g	1



Y3-412162-0144

MF

M14x1,25

MSRh



GO

6g

1,25

Y3-412162-0145

MF

M14x1,5

MSRh



GO

6g

1,5

Y3-412162-0153

MF

M15x1

MSRh



GO

6g

1

Y3-412162-0155

MF

M15x1,5

MSRh



GO

6g


1,5

Y3-412162-0163

MF

M16x1

MSRh



GO

6g

1

Y3-412162-0165

MF

M16x1,5

MSRh



GO

6g

1,5

Y3-412162-0183

MF

M18x1

MSRh

GO

6g

1



Y3-412162-0185	MF	M18x1,5	MSRh		GO	6g	1,5
-----------------------	----	---------	------	--	----	----	-----

Y3-412162-0186	MF	M18x2	MSRh		GO	6g	2
-----------------------	----	-------	------	--	----	----	---

Y3-412162-0203	MF	M20x1	MSRh		GO	6g	1
-----------------------	----	-------	------	--	----	----	---

Y3-412162-0205	MF	M20x1,5	MSRh		GO	6g	1,5
-----------------------	----	---------	------	--	----	----	-----

Y3-412162-0206	MF	M20x2	MSRh		GO	6g	2
-----------------------	----	-------	------	--	----	----	---

Y3-412162-0223	MF	M22x1	MSRh		GO	6g	1
-----------------------	----	-------	------	--	----	----	---

Y3-412162-0225	MF	M22x1,5	MSRh		GO	6g	1,5
-----------------------	----	---------	------	--	----	----	-----



Y3-412162-0226	MF	M22x2	MSRh		GO	6g	2
-----------------------	----	-------	------	--	----	----	---

Y3-412162-0243	MF	M24x1	MSRh		GO	6g	1
-----------------------	----	-------	------	--	----	----	---

Y3-412162-0245	MF	M24x1,5	MSRh		GO	6g	1,5
-----------------------	----	---------	------	--	----	----	-----

Y3-412162-0246	MF	M24x2	MSRh		GO	6g	2
-----------------------	----	-------	------	--	----	----	---

Y3-412162-0255	MF	M25x1,5	MSRh		GO	6g	1,5
-----------------------	----	---------	------	--	----	----	-----

Y3-412162-0265	MF	M26x1,5	MSRh		GO	6g	1,5
-----------------------	----	---------	------	--	----	----	-----

Y3-412162-0275	MF	M27x1,5	MSRh		GO	6g	1,5
-----------------------	----	---------	------	--	----	----	-----



Y3-412162-0276

MF

M27x2

MSRh



GO

6g

2

Y3-412162-0285

MF

M28x1,5

MSRh



GO

6g

1,5

Y3-412162-0286

MF

M28x2

MSRh



GO

6g

2

Y3-412162-0303

MF

M30x1

MSRh



GO

6g

1

Y3-412162-0305

MF

M30x1,5

MSRh



GO

6g

1,5

Y3-412162-0306

MF

M30x2

MSRh



GO

6g

2

Y3-412162-0325

MF

M32x1,5

MSRh

GO

6g

1,5



Y3-412162-0335

MF

M33x1,5

MSRh



GO

6g

1,5

Y3-412162-0336

MF

M33x2

MSRh



GO

6g

2

Y3-412162-0337

MF

M33x3

MSRh



GO

6g

3

Y3-412162-0345

MF

M34x1,5

MSRh



GO

6g

1,5

Y3-412162-0355

MF

M35x1,5

MSRh



GO

6g

1,5

Y3-412162-0365

MF

M36x1,5

MSRh



GO

6g

1,5

Y3-412162-0366

MF

M36x2

MSRh

GO

6g

2



Y3-412162-0367

MF

M36x3

MSRh



GO

6g

3

Y3-412162-0385

MF

M38x1,5

MSRh



GO

6g

1,5

Y3-412162-0396

MF

M39x2

MSRh



GO

6g

2

Y3-412162-0397

MF

M39x3

MSRh



GO

6g

3

Y3-412162-0405

MF

M40x1,5

MSRh



GO

6g


1,5

Y3-412162-0406

MF

M40x2

MSRh



GO

6g

2

Y3-412162-0407

MF

M40x3

MSRh

GO

6g

3



Y3-412162-0425

MF

M42x1,5

MSRh



GO

6g

1,5

Y3-412162-0426

MF

M42x2

MSRh



GO

6g

2

Y3-412162-0427

MF

M42x3

MSRh



GO

6g

3

Y3-412162-0455

MF

M45x1,5

MSRh



GO

6g

1,5

Y3-412162-0456

MF

M45x2

MSRh



GO

6g

2

Y3-412162-0457

MF

M45x3

MSRh



GO

6g

3

Y3-412162-0485

MF

M48x1,5

MSRh

GO

6g

1,5



Y3-412162-0486

MF

M48x2

MSRh



GO

6g

2

Y3-412162-0487

MF

M48x3

MSRh



GO

6g

3

Y3-412162-0505

MF

M50x1,5

MSRh



GO

6g

1,5

Y3-412162-0506

MF

M50x2

MSRh



GO

6g

2

Y3-412162-0507

MF

M50x3

MSRh



GO

6g

3

Y3-412162-0525

MF

M52x1,5

MSRh



GO

6g

1,5

Y3-412162-0526

MF

M52x2

MSRh

GO

6g

2



Y3-412162-0527

MF

M52x3

MSRh



GO






6g

3

M



Dimensions

Index	Typ gwintu	M	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	P
Y3-412162-0010	M	M1	MSRh		GO	6g	0,25
Y3-412162-0012	M	M1,2	MSRh		GO	6g	0,25
Y3-412162-0014	M	M1,4	MSRh		GO	6g	0,3
Y3-412162-0016	M	M1,6	MSRh		GO	6g	0,35
Y3-412162-0017	M	M1,7	MSRh		GO	6g	0,35
Y3-412162-0018	M	M1,8	MSRh		GO	6g	0,35

(RH) ↓

Y3-412162-0020

M

M2

MSRh

(RH) ↓

GO

6g

0,4

Y3-412162-0022

M

M2,2

MSRh

(RH) ↓

GO

6g

0,45

Y3-412162-0025

M

M2,5

MSRh

(RH) ↓

GO

6g

0,45

Y3-412162-0026

M

M2,6

MSRh

(RH) ↓

GO

6g

0,45

Y3-412162-0030

M

M3

MSRh

(RH) ↓

GO

6g

0,5

Y3-412162-0035

M

M3,5








MSRh








(RH) ↓








GO

6g

0,6

Y3-412162-0040	M	M4	MSRh		GO	6g	0,7
Y3-412162-0045	M	M4,5	MSRh		GO	6g	0,75
Y3-412162-0050	M	M5	MSRh		GO	6g	0,8
Y3-412162-0060	M	M6	MSRh		GO	6g	1
Y3-412162-0070	M	M7	MSRh		GO	6g	1
Y3-412162-0080	M	M8	MSRh		GO	6g	1,25
Y3-412162-0090	M	M9	MSRh		GO	6g	1,25

Y3-412162-0100	M	M10	MSRh		GO	6g	1,5
Y3-412162-0120	M	M12	MSRh		GO	6g	1,75
Y3-412162-0140	M	M14	MSRh		GO	6g	2
Y3-412162-0160	M	M16	MSRh		GO	6g	2
Y3-412162-0180	M	M18	MSRh		GO	6g	2,5
Y3-412162-0200	M	M20	MSRh		GO	6g	2,5
Y3-412162-0220	M	M22	MSRh		GO	6g	2,5

Y3-412162-0240	M	M24	MSRh		GO	6g	3
Y3-412162-0270	M	M27	MSRh		GO	6g	3
Y3-412162-0300	M	M30	MSRh		GO	6g	3,5
Y3-412162-0330	M	M33	MSRh		GO	6g	3,5
Y3-412162-0360	M	M36	MSRh		GO	6g	4
Y3-412162-0390	M	M39	MSRh		GO	6g	4
Y3-412162-0420	M	M42	MSRh		GO	6g	4,5

Y3-412162-0450

M

M45

MSRh



GO

6g

4,5

Y3-412162-0480

M

M48

MSRh



GO

6g

5

Y3-412162-0520

M

M52

MSRh



GO

6g

5

G

Dimensions

Index








Typ
gwintuThread
size




Symbol

Thread
directionTyp
sprawdzianuPitch
diameterød₁

1"/P

tolerance

Y3-412180-3123	G	G-1/8"	MSRh		GO	A	9,73	28
Y3-412180-3127	G	G-1/4"	MSRh		GO	A	13,16	19
Y3-412180-3129	G	G-3/8"	MSRh		GO	A	16,66	19
Y3-412180-3131	G	G-1/2"	MSRh		GO	A	20,96	14
Y3-412180-3133	G	G-5/8"	MSRh		GO	A	22,91	14
Y3-412180-3135	G	G-3/4"	MSRh		GO	A	26,44	14
Y3-412180-3137	G	G-7/8"	MSRh		GO	A	30,20	14







Y3-412180-3139	G	G-1"	MSRh		GO	A	33,25	11
Y3-412180-3141	G	G-1.1/8"	MSRh		GO	A	37,90	11
Y3-412180-3143	G	G-1.1/4"	MSRh		GO	A	41,91	11

BSW



Dimensions

Index	Typ	Thread	Symbol	Thread	Typ	Pitch	ød ₁	1"/P
-------	-----	--------	--------	--------	-----	-------	-----------------	------

	gwintu	size		direction	sprawdzianu	diameter tolerance		
Y3-412100-7123	BSW	1/8 - 40	MSRh		GO	medium	3,175	40
Y3-412100-7125	BSW	3/16 - 24	MSRh		GO	medium	4,762	24
Y3-412100-7127	BSW	1/4 - 20	MSRh		GO	medium	6,350	20
Y3-412100-7128	BSW	5/16 - 18	MSRh		GO	medium	7,938	18
Y3-412100-7129	BSW	3/8 - 16	MSRh		GO	medium	9,525	16
Y3-412100-7130	BSW	7/16 - 14	MSRh		GO	medium	11,112	14
Y3-412100-7131	BSW	1/2 -	MSRh		GO	medium	12,700	12


12

**Y3-412100-7132**

BSW

9/16 -
12

MSRh



GO

medium

14,288

12

Y3-412100-7133

BSW

5/8 - 11

MSRh



GO

medium

15,875

11

Y3-412100-7135

BSW

3/4 -
10

MSRh



GO

medium

19,050

10

Y3-412100-7137

BSW

7/8 - 9

MSRh



GO

medium

22,225

9

Y3-412100-7139

BSW

1 - 8

MSRh



GO

medium

25,400

8

Y3-412100-7141

BSW

1.1/8 -
7

MSRh



GO

medium

28,575


7

Y3-412100-7143

BSW

1.1/4 -
7

MSRh







GO

medium

31,750

7

Y3-412100-7145	BSW	1.3/8 - 6	MSRh		GO	medium	34,925	6
Y3-412100-7147	BSW	1.1/2 - 6	MSRh		GO	medium	38,100	6
Y3-412100-7151	BSW	1.3/4 - 5	MSRh		GO	medium	44,450	5
Y3-412100-7155	BSW	2 - 4.1/2	MSRh		GO	medium	50,800	4.1/2

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://fanar.nt-rt.ru/> || frk@nt-rt.ru