

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

Киргизия (996)312-96-26-47

Россия (495)268-04-70

Казахстан (772)734-952-31

<https://fanar.nt-rt.ru/> || frk@nt-rt.ru

Thread plug gauges "GO/NO GO"

Variants

Variant

BSW



G



M



MF



NPT



PG



R



Rc/Rp



TR



UNC



UNF





BSW

Dimensions

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	ød ₁	1"/P
S3-302100-7123	BSW	1/8 - 40	MSBg	(RH) ↻	GO/NO GO	medium	3,175	40
S3-302100-7125	BSW	3/16 - 24	MSBg	(RH) ↻	GO/NO GO	medium	4,762	24
S3-302100-7127	BSW	1/4 - 20	MSBg	(RH) ↻	GO/NO GO	medium	6,350	20
S3-302100-7128	BSW	5/16 -	MSBg		GO/NO GO	medium	7,938	18

18






S3-302100-7129	BSW	3/8 - 16	MSBg		GO/NO GO	medium	9,525	16
S3-302100-7130	BSW	7/16 - 14	MSBg		GO/NO GO	medium	11,112	14
S3-302100-7131	BSW	1/2 - 12	MSBg		GO/NO GO	medium	12,700	12
S3-302100-7132	BSW	9/16 - 12	MSBg		GO/NO GO	medium	14,288	12
S3-302100-7133	BSW	5/8 - 11	MSBg		GO/NO GO	medium	15,875	11
S3-302100-7135	BSW	3/4 - 10	MSBg		GO/NO GO	medium	19,050	10
S3-302100-7137	BSW	7/8 - 9	MSBg		GO/NO GO	medium	22,225	9







S3-302100-7139	BSW	1 - 8	MSBg		GO/NO GO	medium	25,400	8
S3-302100-7141	BSW	1.1/8 - 7	MSBg		GO/NO GO	medium	28,575	7
S3-302100-7143	BSW	1.1/4 - 7	MSBg		GO/NO GO	medium	31,750	7
S3-302100-7145	BSW	1.3/8 - 6	MSBg		GO/NO GO	medium	34,925	6
S3-302100-7147	BSW	1.1/2 - 6	MSBg		GO/NO GO	medium	38,100	6
S3-302100-7151	BSW	1.3/4 - 5	MSBg		GO/NO GO	medium	44,450	5
S3-302100-7155	BSW	2 - 4.1/2	MSBg		GO/NO GO	medium	50,800	4.1/2



G

Dimensions



Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	ød ₁	1"/P
S3-302180-3123	G	G-1/8"	MSBg		GO/NO GO	9,73	28
S3-302180-3127	G	G-1/4"	MSBg		GO/NO GO	13,16	19
S3-302180-3129	G	G-3/8"	MSBg		GO/NO GO	16,66	19

S3-302180-3131	G	G-1/2"	MSBg		GO/NO GO	20,96	14
S3-302180-3133	G	G-5/8"	MSBg		GO/NO GO	22,91	14
S3-302180-3135	G	G-3/4"	MSBg		GO/NO GO	26,44	14
S3-302180-3137	G	G-7/8"	MSBg		GO/NO GO	30,20	14
S3-302180-3139	G	G-1"	MSBg		GO/NO GO	33,25	11
S3-302180-3141	G	G-1.1/8"	MSBg		GO/NO GO	37,90	11
S3-302180-3143	G	G-	MSBg		GO/NO GO	41,91	11



M

Dimensions

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	P
S3-302162-0010	M	M1	MSBg		GO/NO GO	6G	0,25
S3-302162-0012	M	M1,2	MSBg		GO/NO GO	6G	0,25

S3-302162-0014	M	M1,4	MSBg		GO/NO GO	6G	0,3
-----------------------	---	------	------	-------------------------------------------------------------------------------------	----------	----	-----

S3-302162-0016	M	M1,6	MSBg		GO/NO GO	6G	0,35
-----------------------	---	------	------	-------------------------------------------------------------------------------------	----------	----	------

S3-302162-0017	M	M1,7	MSBg		GO/NO GO	6G	0,35
-----------------------	---	------	------	-------------------------------------------------------------------------------------	----------	----	------

S3-302162-0018	M	M1,8	MSBg		GO/NO GO	6G	0,35
-----------------------	---	------	------	-------------------------------------------------------------------------------------	----------	----	------

S3-302162-0020	M	M2	MSBg		GO/NO GO	6G	0,4
-----------------------	---	----	------	--------------------------------------------------------------------------------------	----------	----	-----

S3-302162-0022	M	M2,2	MSBg		GO/NO GO	6G	0,45
-----------------------	---	------	------	---------------------------------------------------------------------------------------	----------	----	------


S3-302162-0025	M	M2,5	MSBg		GO/NO GO	6G	0,45
-----------------------	---	------	------	---------------------------------------------------------------------------------------	----------	----	------

S3-302162-0026	M	M2,6	MSBg		GO/NO GO	6G	0,45
-----------------------	---	------	------	-------------------------------------------------------------------------------------	----------	----	------


S3-302162-0030	M	M3	MSBg		GO/NO GO	6G	0,5
-----------------------	---	----	------	-------------------------------------------------------------------------------------	----------	----	-----

S3-302162-0035	M	M3,5	MSBg		GO/NO GO	6G	0,6
-----------------------	---	------	------	-------------------------------------------------------------------------------------	----------	----	-----








S3-302162-0040	M	M4	MSBg		GO/NO GO	6G	0,7
-----------------------	---	----	------	-------------------------------------------------------------------------------------	----------	----	-----







S3-302162-0045	M	M4,5	MSBg		GO/NO GO	6G	0,75
-----------------------	---	------	------	--------------------------------------------------------------------------------------	----------	----	------


S3-302162-0050	M	M5	MSBg		GO/NO GO	6G	0,8
-----------------------	---	----	------	---------------------------------------------------------------------------------------	----------	----	-----

S3-302162-0060	M	M6	MSBg		GO/NO GO	6G	1
-----------------------	---	----	------	---------------------------------------------------------------------------------------	----------	----	---

S3-302162-0070	M	M7	MSBg		GO/NO GO	6G	1
S3-302162-0080	M	M8	MSBg		GO/NO GO	6G	1,25
S3-302162-0090	M	M9	MSBg		GO/NO GO	6G	1,25
S3-302162-0100	M	M10	MSBg		GO/NO GO	6G	1,5
S3-302162-0120	M	M12	MSBg		GO/NO GO	6G	1,75
S3-302162-0140	M	M14	MSBg		GO/NO GO	6G	2
S3-302162-0160	M	M16	MSBg		GO/NO GO	6G	2



S3-302162-0180	M	M18	MSBg		GO/NO GO	6G	2,5
S3-302162-0200	M	M20	MSBg		GO/NO GO	6G	2,5
S3-302162-0220	M	M22	MSBg		GO/NO GO	6G	2,5
S3-302162-0240	M	M24	MSBg		GO/NO GO	6G	3
S3-302162-0270	M	M27	MSBg		GO/NO GO	6G	3
S3-302162-0300	M	M30	MSBg		GO/NO GO	6G	3,5
S3-302162-0330	M	M33	MSBg		GO/NO GO	6G	3,5

S3-302162-0360	M	M36	MSBg		GO/NO GO	6G	4
S3-302162-0390	M	M39	MSBg		GO/NO GO	6G	4
S3-302162-0420	M	M42	MSBg		GO/NO GO	6G	4,5
S3-302162-0450	M	M45	MSBg		GO/NO GO	6G	4,5
S3-302162-0480	M	M48	MSBg		GO/NO GO	6G	5
S3-302162-0520	M	M52	MSBg		GO/NO GO	6G	5



MF

Dimensions

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	P
S3-302162-0031	MF	M3x0,35	MSBg		GO/NO GO	6G	0,35
S3-302162-0036	MF	M3,5x0,35	MSBg		GO/NO GO	6G	0,35

S3-302162-0041	MF	M4x0,5	MSBg		GO/NO GO	6G	0,5
-----------------------	----	--------	------	-------------------------------------------------------------------------------------	----------	----	-----

S3-302162-0043	MF	M4x0,35	MSBg		GO/NO GO	6G	0,35
-----------------------	----	---------	------	-------------------------------------------------------------------------------------	----------	----	------








S3-302162-0046	MF	M4,5x0,5	MSBg		GO/NO GO	6G	0,5
-----------------------	----	----------	------	-------------------------------------------------------------------------------------	----------	----	-----

S3-302162-0051	MF	M5x0,5	MSBg		GO/NO GO	6G	0,5
-----------------------	----	--------	------	-------------------------------------------------------------------------------------	----------	----	-----







S3-302162-0061	MF	M6x0,5	MSBg		GO/NO GO	6G	0,5
-----------------------	----	--------	------	--------------------------------------------------------------------------------------	----------	----	-----

S3-302162-0062	MF	M6x0,75	MSBg		GO/NO GO	6G	0,75
-----------------------	----	---------	------	---------------------------------------------------------------------------------------	----------	----	------

S3-302162-0081	MF	M8x0,5	MSBg		GO/NO GO	6G	0,5
-----------------------	----	--------	------	---------------------------------------------------------------------------------------	----------	----	-----

S3-302162-0082	MF	M8x0,75	MSBg		GO/NO GO	6G	0,75
S3-302162-0083	MF	M8x1	MSBg		GO/NO GO	6G	1
S3-302162-0093	MF	M9x1	MSBg		GO/NO GO	6G	1
S3-302162-0102	MF	M10x0,75	MSBg		GO/NO GO	6G	0,75
S3-302162-0103	MF	M10x1	MSBg		GO/NO GO	6G	1
S3-302162-0104	MF	M10x1,25	MSBg		GO/NO GO	6G	1,25
S3-302162-0113	MF	M11x1	MSBg		GO/NO GO	6G	1
S3-302162-0123	MF	M12x1	MSBg		GO/NO GO	6G	1



S3-302162-0124	MF	M12x1,25	MSBg		GO/NO GO	6G	1,25
S3-302162-0125	MF	M12x1,5	MSBg		GO/NO GO	6G	1,5
S3-302162-0133	MF	M13x1	MSBg		GO/NO GO	6G	1
S3-302162-0143	MF	M14x1	MSBg		GO/NO GO	6G	1
S3-302162-0144	MF	M14x1,25	MSBg		GO/NO GO	6G	1,25
S3-302162-0145	MF	M14x1,5	MSBg		GO/NO GO	6G	1,5
S3-302162-0153	MF	M15x1	MSBg		GO/NO GO	6G	1



S3-302162-0155	MF	M15x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----

S3-302162-0163	MF	M16x1	MSBg		GO/NO GO	6G	1
-----------------------	----	-------	------	--	----------	----	---

S3-302162-0165	MF	M16x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----

S3-302162-0183	MF	M18x1	MSBg		GO/NO GO	6G	1
-----------------------	----	-------	------	--	----------	----	---

S3-302162-0185	MF	M18x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----

S3-302162-0186	MF	M18x2	MSBg		GO/NO GO	6G	2
-----------------------	----	-------	------	--	----------	----	---

S3-302162-0203	MF	M20x1	MSBg		GO/NO GO	6G	1
-----------------------	----	-------	------	--	----------	----	---



S3-302162-0205	MF	M20x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----

S3-302162-0206	MF	M20x2	MSBg		GO/NO GO	6G	2
-----------------------	----	-------	------	--	----------	----	---

S3-302162-0223	MF	M22x1	MSBg		GO/NO GO	6G	1
-----------------------	----	-------	------	--	----------	----	---

S3-302162-0225	MF	M22x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----

S3-302162-0226	MF	M22x2	MSBg		GO/NO GO	6G	2
-----------------------	----	-------	------	--	----------	----	---

S3-302162-0243	MF	M24x1	MSBg		GO/NO GO	6G	1
-----------------------	----	-------	------	--	----------	----	---

S3-302162-0245	MF	M24x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----



S3-302162-0246

MF

M24x2

MSBg



GO/NO GO

6G

2

S3-302162-0255

MF

M25x1,5

MSBg



GO/NO GO

6G

1,5

S3-302162-0265

MF

M26x1,5

MSBg



GO/NO GO

6G

1,5

S3-302162-0275

MF

M27x1,5

MSBg



GO/NO GO

6G

1,5

S3-302162-0276

MF

M27x2

MSBg



GO/NO GO

6G

2

S3-302162-0285

MF

M28x1,5

MSBg



GO/NO GO

6G

1,5

S3-302162-0286

MF

M28x2

MSBg

GO/NO GO

6G

2



S3-302162-0303	MF	M30x1	MSBg		GO/NO GO	6G	1
S3-302162-0305	MF	M30x1,5	MSBg		GO/NO GO	6G	1,5
S3-302162-0306	MF	M30x2	MSBg		GO/NO GO	6G	2
S3-302162-0325	MF	M32x1,5	MSBg		GO/NO GO	6G	1,5
S3-302162-0335	MF	M33x1,5	MSBg		GO/NO GO	6G	1,5
S3-302162-0336	MF	M33x2	MSBg		GO/NO GO	6G	2
S3-302162-0337	MF	M33x3	MSBg		GO/NO GO	6G	3



S3-302162-0345	MF	M34x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----

S3-302162-0355	MF	M35x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----

S3-302162-0365	MF	M36x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----

S3-302162-0366	MF	M36x2	MSBg		GO/NO GO	6G	2
-----------------------	----	-------	------	--	----------	----	---

S3-302162-0367	MF	M36x3	MSBg		GO/NO GO	6G	3
-----------------------	----	-------	------	--	----------	----	---

S3-302162-0385	MF	M38x1,5	MSBg		GO/NO GO	6G	1,5
-----------------------	----	---------	------	--	----------	----	-----

S3-302162-0396	MF	M39x2	MSBg		GO/NO GO	6G	2
-----------------------	----	-------	------	--	----------	----	---



S3-302162-0397	MF	M39x3	MSBg		GO/NO GO	6G	3
S3-302162-0405	MF	M40x1,5	MSBg		GO/NO GO	6G	1,5
S3-302162-0406	MF	M40x2	MSBg		GO/NO GO	6G	2
S3-302162-0407	MF	M40x3	MSBg		GO/NO GO	6G	3
S3-302162-0425	MF	M42x1,5	MSBg		GO/NO GO	6G	1,5
S3-302162-0426	MF	M42x2	MSBg		GO/NO GO	6G	2
S3-302162-0427	MF	M42x3	MSBg		GO/NO GO	6G	3



S3-302162-0455

MF

M45x1,5

MSBg



GO/NO GO

6G

1,5

S3-302162-0456

MF

M45x2

MSBg



GO/NO GO

6G

2

S3-302162-0457

MF

M45x3

MSBg



GO/NO GO

6G

3

S3-302162-0485

MF

M48x1,5

MSBg



GO/NO GO

6G

1,5

S3-302162-0486

MF

M48x2

MSBg



GO/NO GO

6G

2

S3-302162-0487

MF

M48x3

MSBg



GO/NO GO

6G

3

S3-302162-0505

MF

M50x1,5

MSBg

GO/NO GO

6G

1,5



S3-302162-0506

MF

M50x2

MSBg



GO/NO GO

6G

2

S3-302162-0507

MF

M50x3

MSBg



GO/NO GO

6G

3

S3-302162-0525

MF

M52x1,5

MSBg



GO/NO GO

6G

1,5

S3-302162-0526

MF

M52x2

MSBg



GO/NO GO

6G

2

S3-302162-0527

MF

M52x3

MSBg



GO/NO GO




6G








3



NPT

Dimensions




Index	Typ gwintu	Thread size	Symbol	Thread direction	1"/P
S3-332100-4621	NPT	1/16"	MSXa		27
S3-332100-4623	NPT	1/8"	MSXa		27
S3-332100-4627	NPT	1/4"	MSXa		18

S3-332100-4629	NPT	3/8"	MSXa		18
S3-332100-4631	NPT	1/2"	MSXa		14
S3-332100-4635	NPT	3/4"	MSXa		14
S3-332100-4639	NPT	1"	MSXa		11.1/2
S3-332100-4643	NPT	1.1/4"	MSXa		11.1/2
S3-332100-4647	NPT	1.1/2"	MSXa		11.1/2
S3-332100-4655	NPT	2"	MSXa		11.1/2



PG

Dimensions






Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	ød ₁	1"/P
S3-832100-8807	PG	Pg 7	MSBg		GO/NO GO	12,5	20
S3-832100-8809	PG	Pg 9	MSBg		GO/NO GO	15,2	18
S3-832100-8811	PG	Pg 11	MSBg		GO/NO GO	18,6	18

S3-832100-8813	PG	Pg 13,5	MSBg		GO/NO GO	20,4	18
S3-832100-8816	PG	Pg 16	MSBg		GO/NO GO	22,5	18
S3-832100-8821	PG	Pg 21	MSBg		GO/NO GO	28,3	16
S3-832100-8829	PG	Pg 29	MSBg		GO/NO GO	37	16
S3-832100-8836	PG	Pg 36	MSBg		GO/NO GO	47	16



R







Dimensions

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	ød ₁	1"/P
S3-332105-3321	R	1/16"	MSXa		Nr 5	R	7,72	28
S3-332105-3323	R	1/8"	MSXa		Nr 5	R	9,73	28
S3-332105-3327	R	1/4"	MSXa		Nr 5	R	13,16	19
S3-332105-3329	R	3/8"	MSXa		Nr 5	R	16,66	19
S3-332105-3331	R	1/2"	MSXa		Nr 5	R	20,96	14
S3-332105-3335	R	3/4"	MSXa		Nr 5	R	26,44	14











S3-332105-3339	R	1"	MSXa		Nr 5	R	32,25	11
S3-332105-3343	R	1.1/4"	MSXa		Nr 5	R	41,91	11
S3-332105-3347	R	1.1/2"	MSXa		Nr 5	R	47,80	11
S3-332105-3355	R	2"	MSXa		Nr 5	R	59,61	11
S3-332105-3359	R	2.1/2"	MSXa		Nr 5	R	75,18	11
S3-332105-3363	R	3"	MSXa		Nr 5	R	87,88	11
S3-332105-3371	R	4"	MSXa		Nr 5	R	113,03	11





Rc/Rp Dimensions

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	ød ₁	1"/P
S3-332101-3321	Rc/Rp	1/16"	MSXa		Nr 1	Rc/Rp	7,72	28
S3-332101-3323	Rc/Rp	1/8"	MSXa		Nr 1	Rc/Rp	9,73	28
S3-332101-3327	Rc/Rp	1/4"	MSXa		Nr 1	Rc/Rp	13,16	19
S3-332101-3329	Rc/Rp	3/8"	MSXa		Nr 1	Rc/Rp	16,66	19
S3-332101-3331	Rc/Rp	1/2"	MSXa		Nr 1	Rc/Rp	20,96	14
S3-332101-3335	Rc/Rp	3/4"	MSXa		Nr 1	Rc/Rp	26,44	14
S3-332101-3339	Rc/Rp	1"	MSXa		Nr 1	Rc/Rp	32,25	11



S3-332101-3343	Rc/Rp	1.1/4"	MSXa		Nr 1	Rc/Rp	41,91	11
S3-332101-3347	Rc/Rp	1.1/2"	MSXa		Nr 1	Rc/Rp	47,80	11
S3-332101-3355	Rc/Rp	2"	MSXa		Nr 1	Rc/Rp	59,61	11
S3-332101-3359	Rc/Rp	2.1/2"	MSXa		Nr 1	Rc/Rp	75,18	11
S3-332101-3363	Rc/Rp	3"	MSXa		Nr 1	Rc/Rp	87,88	11
S3-332101-3371	Rc/Rp	4"	MSXa		Nr 1	Rc/Rp	113,03	11
S3-332102-3321	Rc/Rp	1/16"	MSXa		Nr 2	Rc/Rp	7,72	28


S3-332102-3323	Rc/Rp	1/8"	MSXa		Nr 2	Rc/Rp	9,73	28
S3-332102-3327	Rc/Rp	1/4"	MSXa		Nr 2	Rc/Rp	13,16	19
S3-332102-3329	Rc/Rp	3/8"	MSXa		Nr 2	Rc/Rp	16,66	19
S3-332102-3331	Rc/Rp	1/2"	MSXa		Nr 2	Rc/Rp	20,96	14
S3-332102-3335	Rc/Rp	3/4"	MSXa		Nr 2	Rc/Rp	26,44	14
S3-332102-3339	Rc/Rp	1"	MSXa		Nr 2	Rc/Rp	32,25	11
S3-332102-3343	Rc/Rp	1.1/4"	MSXa		Nr 2	Rc/Rp	41,91	11
S3-332102-3347	Rc/Rp	1.1/2"	MSXa		Nr 2	Rc/Rp	47,80	11

S3-332102-3355	Rc/Rp	2"	MSXa		Nr 2	Rc/Rp	59,61	11
S3-332102-3359	Rc/Rp	2.1/2"	MSXa		Nr 2	Rc/Rp	75,18	11
S3-332102-3363	Rc/Rp	3"	MSXa		Nr 2	Rc/Rp	87,88	11
S3-332102-3371	Rc/Rp	4"	MSXa		Nr 2	Rc/Rp	113,03	11



TR

Dimensions

Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	P
S3-302171-8009	TR	Tr10x2	MSBg		GO/NO GO	7H	2

S3-302171-8015	TR	Tr12x3	MSBg		GO/NO GO	7H	3
S3-302171-8019	TR	Tr14x3	MSBg		GO/NO GO	7H	3
S3-302171-8024	TR	Tr16x4	MSBg		GO/NO GO	7H	4
S3-302171-8032	TR	Tr18x4	MSBg		GO/NO GO	7H	4
S3-302171-8034	TR	Tr20x4	MSBg		GO/NO GO	7H	4
S3-302171-8037	TR	Tr22x5	MSBg		GO/NO GO	7H	5
S3-302171-8042	TR	Tr24x5	MSBg		GO/NO GO	7H	5

S3-302171-8047	TR	Tr26x5	MSBg		GO/NO GO	7H	5
-----------------------	----	--------	------	-------------------------------------------------------------------------------------	----------	----	---

S3-302171-8052	TR	Tr28x5	MSBg		GO/NO GO	7H	5
-----------------------	----	--------	------	-------------------------------------------------------------------------------------	----------	----	---

S3-302171-8057	TR	Tr30x6	MSBg		GO/NO GO	7H	6
-----------------------	----	--------	------	-------------------------------------------------------------------------------------	----------	----	---




S3-302171-8062	TR	Tr32x6	MSBg		GO/NO GO	7H	6
-----------------------	----	--------	------	-------------------------------------------------------------------------------------	----------	----	---


S3-302171-8072	TR	Tr36x6	MSBg		GO/NO GO	7H	6
-----------------------	----	--------	------	--------------------------------------------------------------------------------------	----------	----	---

UNC

Dimensions




Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	ød ₁	1"/P
S3-302186-4105	UNC	No 5 - 40	MSBg		GO/NO GO	2B	3,175	40
S3-302186-4106	UNC	No 6 - 32	MSBg		GO/NO GO	2B	3,505	32
S3-302186-4108	UNC	No 8 - 32	MSBg		GO/NO GO	2B	4,166	32

S3-302186-4110	UNC	No 10 - 24	MSBg		GO/NO GO	2B	4,826	24
-----------------------	-----	---------------	------	------------------------------------------------------------------------------------	----------	----	-------	----

S3-302186-4112	UNC	No 12 - 24	MSBg		GO/NO GO	2B	5,486	24
-----------------------	-----	---------------	------	-------------------------------------------------------------------------------------	----------	----	-------	----

S3-302186-4127	UNC	1/4 - 20	MSBg		GO/NO GO	2B	6,350	20
-----------------------	-----	-------------	------	-------------------------------------------------------------------------------------	----------	----	-------	----

S3-302186-4128	UNC	5/16 - 18	MSBg		GO/NO GO	2B	7,938	18
-----------------------	-----	--------------	------	-------------------------------------------------------------------------------------	----------	----	-------	----

S3-302186-4129	UNC	3/8 - 16	MSBg		GO/NO GO	2B	9,525	16
-----------------------	-----	-------------	------	-------------------------------------------------------------------------------------	----------	----	-------	----







S3-302186-4130	UNC	7/16 - 14	MSBg		GO/NO GO	2B	11,112	14
-----------------------	-----	--------------	------	---------------------------------------------------------------------------------------	----------	----	--------	----

S3-302186-4131	UNC	1/2 - 13	MSBg		GO/NO GO	2B	12,700	13
-----------------------	-----	-------------	------	---------------------------------------------------------------------------------------	----------	----	--------	----

S3-302186-4132	UNC	9/16 -	MSBg		GO/NO GO	2B	14,288	12
-----------------------	-----	--------	------	--	----------	----	--------	----

12



S3-302186-4133	UNC	5/8 - 11	MSBg		GO/NO GO	2B	15,875	11
S3-302186-4135	UNC	3/4 - 10	MSBg		GO/NO GO	2B	19,050	10
S3-302186-4137	UNC	7/8 - 9	MSBg		GO/NO GO	2B	22,225	9
S3-302186-4139	UNC	1 - 8	MSBg		GO/NO GO	2B	25,400	8
S3-302186-4141	UNC	1.1/8 - 7	MSBg		GO/NO GO	2B	28,575	7
S3-302186-4143	UNC	1.1/4 - 7	MSBg		GO/NO GO	2B	31,750	7
S3-302186-4145	UNC	1.3/8 - 6	MSBg		GO/NO GO	2B	34,925	6

S3-302186-4147	UNC	1.1/2 - 6	MSBg		GO/NO GO	2B	38,100	6
-----------------------	-----	--------------	------	-------------------------------------------------------------------------------------	----------	----	--------	---




S3-302186-4151	UNC	1.3/4 - 5	MSBg		GO/NO GO	2B	44,450	5
-----------------------	-----	--------------	------	-------------------------------------------------------------------------------------	----------	----	--------	---


S3-302186-4155	UNC	2 - 4.1/2	MSBg		GO/NO GO	2B	50,800	4.1/2
-----------------------	-----	--------------	------	-------------------------------------------------------------------------------------	----------	----	--------	-------

UNF


Dimensions





Index	Typ gwintu	Thread size	Symbol	Thread direction	Typ sprawdzianu	Pitch diameter tolerance	ød ₁	1"/P
S3-302186-4205	UNF	No 5 - 44	MSBg		GO/NO GO	2B	3,175	44
S3-302186-4206	UNF	No 6 - 40	MSBg		GO/NO GO	2B	3,505	40
S3-302186-4208	UNF	No 8 - 36	MSBg		GO/NO GO	2B	4,166	36

S3-302186-4210	UNF	No 10 - 32	MSBg		GO/NO GO	2B	4,826	32
-----------------------	-----	---------------	------	------------------------------------------------------------------------------------	----------	----	-------	----


S3-302186-4212	UNF	No 12 - 28	MSBg		GO/NO GO	2B	5,486	28
-----------------------	-----	---------------	------	-------------------------------------------------------------------------------------	----------	----	-------	----

S3-302186-4227	UNF	1/4 - 28	MSBg		GO/NO GO	2B	6,350	28
-----------------------	-----	-------------	------	-------------------------------------------------------------------------------------	----------	----	-------	----

S3-302186-4228	UNF	5/16 - 24	MSBg		GO/NO GO	2B	7,938	24
-----------------------	-----	--------------	------	-------------------------------------------------------------------------------------	----------	----	-------	----


S3-302186-4229	UNF	3/8 - 24	MSBg		GO/NO GO	2B	9,525	24
-----------------------	-----	-------------	------	-------------------------------------------------------------------------------------	----------	----	-------	----

S3-302186-4230	UNF	7/16 - 20	MSBg		GO/NO GO	2B	11,112	20
-----------------------	-----	--------------	------	---------------------------------------------------------------------------------------	----------	----	--------	----

S3-302186-4231	UNF	1/2 - 20	MSBg		GO/NO GO	2B	12,700	20
-----------------------	-----	-------------	------	---------------------------------------------------------------------------------------	----------	----	--------	----

S3-302186-4232	UNF	9/16 -	MSBg		GO/NO GO	2B	14,288	18
-----------------------	-----	--------	------	--	----------	----	--------	----

18




S3-302186-4233

UNF

5/8 -
18

MSBg



GO/NO GO

2B

15,875


18

S3-302186-4235

UNF

3/4 -
16

MSBg



GO/NO GO

2B

19,050


16

S3-302186-4237

UNF

7/8 -
14

MSBg



GO/NO GO

2B

22,225


14

S3-302186-4239

UNF

1 - 12

MSBg



GO/NO GO

2B

25,400

12

S3-302186-4241

UNF

1.1/8 -
12

MSBg



GO/NO GO

2B

28,575


12

S3-302186-4243

UNF

1.1/4 -
12

MSBg



GO/NO GO

2B

31,750


12

S3-302186-4245

UNF

1.3/8 -
12

MSBg



GO/NO GO

2B

34,925

12

S3-302186-4247

UNF

1.1/2 -
12

MSBg



GO/NO GO

2B

38,100

12

Архангельск (8182)63-90-72
Астана (7172)727-132
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89
Иваново (4932)77-34-06

Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Липецк (4742)52-20-81

Киргизия (996)312-96-26-47

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16

Россия (495)268-04-70

Пермь (342)205-81-47
Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13

Казахстан (772)734-952-31

Сургут (3462)77-98-35
Тверь (4822)63-31-35
Томск (3822)98-41-53
Тула (4872)74-02-29
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Ярославль (4852)69-52-93

<https://fanar.nt-rt.ru/> || frk@nt-rt.ru